



TABELLA DI SELEZIONE PRESTAZIONI GEAR UNIT SELECTION TABLES

P_{1n} [kW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			page			
0.12	30.5	36	45.9	3.3	CHC20	63B5	63A4	16		
	34.9	32	40.1	3.8	(CHC16)					
	39.5	28	35.5	4.3						
	49.1	22	28.5	5.4						
	59.4	18.5	23.6	6.5						
	70.6	15.6	19.8	7.7						
	78.4	14.0	17.9	7.1						
	101	10.8	13.8	9.2						
	118	9.4	11.9	12.8						
	143	7.7	9.8	13.0						
	181	6.1	7.7	13.2						
	246	4.5	5.7	13.4						
	0.18	19.6	84	45.9	1.4	CHC20	71B5/B14		71A6	16
		22.4	74	40.1	1.6	(CHC16)				
25.4		65	35.5	1.8						
31.6		52	28.5	2.3						
30.5		54	45.9	2.2	CHC20	63B5	63B4	16		
34.9		47	40.1	2.5	(CHC16)					
39.5		42	35.5	2.9						
49.1		34	28.5	3.6						
59.4		28	23.6	4.3						
70.6		23	19.8	5.1						
78.4		21	17.9	4.8						
101		16.3	13.8	6.1						
118		14.0	11.9	8.6						
143		11.6	9.8	8.6						
181	9.1	7.7	8.8							
246	6.7	5.7	8.9							
19.4	85	46.5	2.3	CHC25	71B5/B14	71A6	17			
22.2	74	40.6	2.7							
25.1	66	35.9	3.0							
31.2	53	28.9	3.8							
30.1	55	46.5	3.7	CHC25	63B5	63B4	17			
34.5	48	40.6	4.2							
0.25	19.6	117	45.9	1.0	CHC20	71B5/B14	71B6	16		
	22.4	102	40.1	1.2	(CHC16)					
	25.4	90	35.5	1.3						
	31.6	73	28.5	1.7						
	30.5	75	45.9	1.6	CHC20	71B5/B14	71A4		16	
	34.9	66	40.1	1.8	(CHC16)					
	39.5	58	35.5	2.1						
	49.1	47	28.5	2.6						
	59.4	39	23.6	3.1						
	70.6	32	19.8	3.7						





P_{1n} [kW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			page		
0.25	78.4	29	17.9	3.4	CHC20	71B5/B14	71A4	16	
	101	23	13.8	4.4	(CHC16)				
	118	19.5	11.9	6.2					
	143	16.1	9.8	6.2					
	181	12.6	7.7	6.3					
	246	9.3	5.7	6.4					
	19.4	118	46.5	1.7	CHC25	71B5/B14	71B6	17	
	22.2	103	40.6	1.9					
	25.1	91	35.9	2.2					
	31.2	74	28.9	2.7					
	30.1	76	46.5	2.6	CHC25	71B5/B14	71A4		
	34.5	66	40.6	3.0					
	39.0	59	35.9	3.4					
	48.5	47	28.9	4.2					
	0.37	30.5	111	45.9	1.1	CHC20	71B5/B14	71B4	16
		34.9	97	40.1	1.2	(CHC16)			
		39.5	86	35.5	1.4				
		49.1	69	28.5	1.7				
59.4		57	23.6	2.1					
70.6		48	19.8	2.5					
	78.4	43	17.9	2.3					
	101	33	13.8	3.0					
	118	29	11.9	4.2					
	143	24	9.8	4.2					
	181	19	7.7	4.3					
	246	14	5.7	4.4					
	19.4	175	46.5	1.1	CHC25	80B4/B14	80A6	17	
	22.2	153	40.6	1.3					
	25.1	135	35.9	1.5					
	31.2	109	28.9	1.8					
	30.1	113	46.5	1.8	CHC25	71B5/B14	71B4		
	34.5	98	40.6	2.0					
	39	87	35.9	2.3					
	48.5	70	28.9	2.9					
	58.7	58	23.8	3.5					
	81.9	41	17.1	3.9					
	20.4	167	44.2	1.8	CHC30	80B5/B14	80A6	18	
	26.3	129	34.2	2.3					
29.4	115	30.6	2.6						
0.55	101	50	13.8	2.0	CHC20	80B5/B14	80A4		16
	118	43	11.9	2.8	(CHC16)				
	143	35	9.8	2.8					
	181	28	7.7	2.9					
	246	20	5.7	2.9					

TABELLA DI SELEZIONE PRESTAZIONI GEAR UNIT SELECTION TABLES

P_{1n} [kW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			page		
0.55	19.4	260	46.5	0.8	CHC25	80B5/B14	80B6	17	
	22.2	227	40.6	0.9					
	25.1	201	35.9	1.0					
	31.2	162	28.9	1.2					
	37.7	134	23.9	1.5					
	30.1	167	46.5	1.2	CHC25	80B5/B14	80A4	17	
	34.5	146	40.6	1.4					
	39	129	35.9	1.5					
	48.5	104	28.9	1.9					
	58.7	86	23.9	2.3					
	69.7	72	20.1	2.8					
	81.9	62	17.1	2.6					
	94.5	53	14.8	3.7					
	0.75	17.5	287	51.3	1.0	CHC30	80B5/B14	80B6	18
20.4		248	44.2	1.2					
26.3		192	34.2	1.6					
29.4		171	30.6	1.8					
27.3		185	51.3	1.6	CHC30	80B5/B14	80A4	18	
31.7		159	44.2	1.9					
40.9		123	34.2	2.4					
45.8		110	30.6	2.7					
101		68	13.8	1.5	CHC20	80B5/B14	80B4	16	
118		58	11.9	2.1	(CHC16)				
143		48	9.8	2.1					
181		38	7.7	2.1					
246		28	5.7	2.1					
302		23	4.6	2.6					
0.75	30.1	228	46.5	0.9	CHC25	80B5/B14	80B4	17	
	34.5	199	40.6	1.0					
	39	176	35.9	1.1					
	48.5	142	28.9	1.4					
	58.7	117	23.9	1.7					
	69.7	99	20.1	2.0					
	81.9	84	17.1	1.9					
	94.5	73	14.8	2.7					
	116.2	59	12.1	3.4					
	141	49	9.9	3.3					
	189	36	7.4	3.3					
	257	27	5.5	3.7					
	0.75	20.4	338	44.2	0.9	CHC30	90B5/B14	90S6	18
		26.3	261	34.2	1.1				
29.4		234	30.6	1.3					
36		191	25.0	1.6					
27.3		252	51.3	1.2	CHC30	80B5/B14	80B4	18	







P_{1n} [kW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			page			
0.75	31.7	217	44.2	1.4	CHC30	80B5/B14	80B4	18		
	40.9	168	34.2	1.8						
	45.8	150	30.6	2.0						
	56	123	25.0	2.4						
	66.2	104	21.2	2.7						
	76.9	89	18.2	3.1						
	91.5	75	15.3	3.7						
	17.5	392	51.3	1.3	CHC35	90B5/B14	90S6			
	20.4	338	44.2	1.5	CHC40					
	26.3	261	34.2	1.8						
	29.4	234	30.6	2.1						
	27.3	252	51.3	2.0	CHC35	80B5/B14	80B4	19		
	31.7	217	44.2	2.3	CHC40					
	40.9	168	34.2	2.9						
	1.1	101	99	13.8	1.0	CHC20	80B5/B14		80C4	16
		118	86	11.9	1.4	(CHC16)				
		143	71	9.8	1.4					
		181	56	7.7	1.4					
		246	41	5.7	1.5					
		302	33	4.6	1.8					
48.5		208	28.9	1.0	CHC25	80B5/B14	80C4			
58.7		172	23.9	1.2						
69.7		145	20.1	1.4	CHC25	90B5/B14	90S4	17		
81.9		123	17.1	1.3						
94.5	107	14.8	1.9							
116	87	12.1	2.3							
141	72	9.9	2.2							
189	53	7.4	2.3							
257	39	5.5	2.5							
31.7	318	44.2	0.9	CHC30	90B5/B14	90S4	18			
40.9	246	34.2	1.2							
45.8	220	30.6	1.4							
56	180	25.0	1.7							
66.2	152	21.2	1.8							
76.9	131	18.2	2.1							
91.5	110	15.3	2.5							
27.3	370	51.3	1.4	CHC35	90B5/B14	90S4		19		
31.7	318	44.2	1.6	CHC40						
40.9	246	34.2	1.9							
45.8	220	30.6	2.2							
56	180	25.0	2.7							
66.2	152	21.2	2.8							
76.9	131	18.2	3.2							
91.5	110	15.3	3.8							

TABELLA DI SELEZIONE PRESTAZIONI GEAR UNIT SELECTION TABLES

P_{1n} [kW]	n_2 [r/min]	M_{2n} [Nm]	i	f_s			page		
1.5	69.7	197	20.1	1.0	CHC25	90B5/B14	90L4	17	
	81.9	168	17.1	1.0					
	94.5	145	14.8	1.4					
	116	118	12.1	1.7					
	141	98	9.9	1.6					
	189	73	7.4	1.7					
1.5	257	54	5.5	1.9	CHC25	90B5/B14	90L4	17	
	40.9	336	34.2	0.9	CHC30	90B5/B14	90L4	18	
	45.8	300	30.6	1.0					
	56	245	25.0	1.2					
	66.2	208	21.2	1.3					
	76.9	179	18.2	1.6					
	91.5	150	15.3	1.9					
	111	124	12.6	2					
	128	107	10.9	1.7					
	177	78	7.9	2.3					
	255	54	5.5	2.8					
	26.3	523	34.2	0.9	CHC35	100B5/B14	100L6	19	
	29.4	467	30.6	1	CHC40				
	36	382	25	1.3					
1.5	27.3	504	51.3	1.0	CHC35	90B5/B14	90L4	19	
	31.7	434	44.2	1.2	CHC40				
	40.9	336	34.2	1.4					
	45.8	300	30.6	1.6					
	56	245	25.0	2					
	66.2	208	21.2	2					
	76.9	179	18.2	2.3					
	91.5	150	15.3	2.8					
	2.2	76.9	262	18.2	1.1	CHC30	100B5/B14	100LA4	18
		91.5	220	15.3	1.1				
111		182	12.6	1.4					
128		157	10.9	1.1					
177		114	7.9	1.6					
255		79	5.5	1.9					
36		560	25.0	0.9	CHC35	112B5/B14	112M6	19	
42.6		474	21.2	0.9	CHC40				
49.4		408	18.2	1					
40.9		493	34.2	1	CHC35	100B5/B14	100LA4	19	
45.8		440	30.6	1.1	CHC40				
56		360	25.0	1.3					
66.2		305	21.2	1.4					
76.9		262	18.2	1.6					
91.5	220	15.3	1.9						
111	182	12.6	1.9						

P_{1n} [kW]	n₂ [r/min]	M_{2n} [Nm]	i	f_s				page
	128	157	10.9	1.8	CHC35	100B5/B14	100LA4	19
	177	114	7.9	2.3	CHC40			
	255	79	5.5	2.9				
3	91.5	301	15.3	0.9	CHC30	100B5/B14	100LB4	18
	111	248	12.6	1				
	128	215	10.9	0.8				
	177	156	7.9	1.2				
3	255	108	5.5	1.4	CHC30	100B5/B14	100LB4	18
	45.8	601	30.6	0.8	CHC35	100B5/B14	100LB4	19
	56	491	25.0	1	CHC40			
	66.2	416	21.2	1.0				
	76.9	358	18.2	1.2				
	91.5	301	15.3	1.4				
	111	248	12.6	1.4				
	128	215	10.9	1.3				
	177	156	7.9	1.7				
	255	108	5.5	2.1				
4	177	208	7.9	0.9	CHC30	112B5/B14	112M4	18
	255	144	5.5	1.0				
	111	330	12.6	1.1	CHC35	112B5/B14	112M4	19
	128	286	10.9	1.0	CHC40			
	177	208	7.9	1.3				
	255	144	5.5	1.6				